










# OfficeSuite UC<sup>®</sup> phones

	MITEL 6915	MITEL 6920w	MITEL 6930w	MITEL 6940w	MITEL 6970 CONFERENCE PHONE	MITEL M695 MODULE (NOT 6915, 6970)	DECT HEADSET FOR 6930 AND 6940
							
Line appearances	Up to 6	Up to 6	Up to 12	Up to 16	Up to 16	N/A	N/A
Speakerphone	Hands-free full duplex	Hands-free full duplex	Hands-free full duplex	Hands-free full duplex	Hands-free full duplex	N/A	N/A
Headset jack	USB and analog (EHS)	USB, Bluetooth and Analog (EHS/DHSG)	USB, Bluetooth and Analog (EHS)	USB and Bluetooth	N/A. Built-in Bluetooth 4.1	N/A	N/A
Power over Ethernet	802.3af (2.9W)	802.3az Class 3 PoE (2.7W)	802.3az (3.0W)	802.3az Class 3 PoE (3.7W)	802.3af (5.6W typical)	Powered by phone	Powered by phone
WiFi connectivity	No	802.11 a/b/g/n	802.11 a/b/g/n	802.11 a/b/g/n	No	No	No
Integrated Ethernet switch	2 Port GigE (10/100/1000)	2 Port GigE (10/100/1000)	2 Port GigE (10/100/1000)	2 Port GigE (10/100/1000)	1 Port GigE (10/100/1000)	N/A	N/A
Park and paging	Yes	Yes	Yes	Yes	Yes	Via phone	N/A
Screen	3.5" color display	3.5" color display	4.3" color display	7" touchscreen color	7" touchscreen color	4.3" color display	N/A
Programmable keys	12	18	72	96	96	28 per module (up to 3 modules)	N/A
Key type	Self labeling	Self labeling	Self labeling	Self labeling	Self labeling	Self labeling	N/A
Soft keys	4	4	5	6	6	N/A	N/A
Function keys	10 (plus navigation)	10 (plus navigation)	10 (plus navigation)	10	6	N/A	N/A
Size (inches)	8.9 x 5.9 x 7.5	8.9 x 5.9 x 7.5	9.3 x 5.9 x 7.5	9.7 x 5.9 x 7.5	18.1 x 10.6 x 5.5	0.8 x 7.9 x 3.1	Range: 300 feet
Weight (lbs)	2.2	2.2	2.4	2.6	4.1	1.2	Battery: 8-hour talk, 43-hour standby
Power consumption	2.9W	2.7W	3.0W	3.7W	5.6W	3.2W (through Phone)	3.0w (through phone)
Power requirements	PoE or AC power	PoE or AC power	PoE or AC power	PoE or AC power. Requires AC adapter if DECT headset and/or PKM attached	PoE only	Powered by phone	Powered by phone



# OfficeSuite UC<sup>®</sup> phones

	4-LINE COLOR GIGE (VVX250)	6-LINE COLOR GIGE (VVX350)	12-LINE COLOR GIGE (VVX450)	VVX EM50 EXPANSION MODULE	POLY TRIO 8300 CONFERENCE PHONE
					
Line appearances	Up to 4	Up to 6	Up to 12	30 keys x 3 pages	3
Speakerphone	Yes	Yes	Yes	No	Yes (12 ft mic pickup)
Headset jack	Analog, USB	Analog, USB	Analog, USB	N/A	N/A. Built-in Bluetooth 4.0
Power over Ethernet	IEEE 802.3af	IEEE 802.3af	IEEE 802.3af	Powered from VVX 450	802.3af
WiFi connectivity	—	—	—	—	802.11 a/b/g/n
Integrated Ethernet switch	2 x 10/100/1000	2 x 10/100/1000	2 x 10/100/1000	N/A	No
Park and paging	Yes	Yes	Yes	Via phone	Park / Retrieve (via star codes)
Screen	2.8" color LCD	3.5" color LCD	4.3" color LCD	4.3" color LCD	3.5 in. monochrome LCD
Programmable keys	4 line keys, 10 soft keys	6 line keys, 10 soft keys	12 line keys, 10 soft keys	30 keys x 3 pages	N/A
Key type	Self labeling	Self labeling	Self labeling	Self labeling	N/A
Soft keys	4	4	4	0	4
Function keys	9 plus navigation	9 plus navigation	9 plus navigation	3	12
Size (inches)	9.4 x 10 x 2.2	9.2 x 10.3 x 2.5	9.5 x 10 x 2.2	5 x 6.5 x 2.5	13.3 x 11.5 x 2.4
Weight (lbs)	1.9	2.2	2.2	1	1.62
Power consumption	4.5W	13W	13W	Powered by phone	36W
Power requirements	PoE or optional AC adapter	PoE or optional AC adapter	PoE or optional AC adapter	Powered from phone (up to two EM50s)	PoE or optional AC adapter



## OfficeSuite UC<sup>®</sup> phones

	YEALINK W76P CORDLESS (W70B BASE + W56H HANDSET)	YEALINK W79P CORDLESS (W70B BASE + W59R RUGGED HANDSET)	YEALINK CP935W CORDLESS DECT/WIFI CONFERENCE PHONE	POLY B2 + ROVE 30 CORDLESS	ENGENIUS DURAFON SIP	ENGENIUS DURAFON PRO (ANALOG)
Line appearances	2	2	2	2	2	2
Speakerphone	Yes	Yes	Yes	Yes	Yes	Yes
Headset jack	3.5mm	3.5mm. Built-in Bluetooth	N/A. Built-in Bluetooth	3.5mm	2.5mm	2.5mm
Power over Ethernet	Base only	Base only	No. Built-in battery.	Base only.	No	No
WiFi connectivity	—	—	802.11 a/b/g/n	—	—	—
Integrated Ethernet switch	No	No	No	No	No	No
Park and paging	Park/retrieve (via star codes)	Park/retrieve (via star codes)	Park/Retrieve (via star codes)	Park/retrieve (via star codes)	Park/retrieve (via star codes)	Park/retrieve (via star codes)
Screen	2.4 inch color LCD	1.8 inch color LCD	4" 480x800-pixel color touch LCD	2.4 inch color LCD	4 line LCD	4 line LCD
Programmable keys	6 short cut keys	6 short cut keys	No	4	50 entry phone book	90 entry phone book
Key type	Programmed via phone	Programmed via phone	Touchscreen	Programmed via phone	N/A	N/A
Soft keys	2	2	4	3	2	2
Function keys	6 + navigation disc	6 + navigation disc	3	4 + navigation disc	6	6
Size (inches)	6.9 x 2.1 x 0.8	6.2 x 2.0 x 0.9	11.4 x 11.2 x 2.5	6 x 2 x 1	6.3 x 2.3 x 1.2	6.3 x 2.3 x 1.2
Weight (lbs)	0.4	0.4	1.74	0.4	Base 1.9, handset .4	Base 2, handset .4
Power consumption	Base 3W, handset 1.7W	Base 3W, handset 1.9W	11.3W	Base 10W, handset 10W	Base 12W, handset 7W	Base 12W, handset 7W
Power requirements	120VAC adapters included	120VAC adapters included	120VAC charging adapter included	120VAC adapters included. Base is PoE	120VAC adapters included	120VAC adapters included
Range	150 feet indoors	150 feet indoors	—	150 feet indoors	12 floors, 250K SF, 3000 acres	12 floors, 250K SF, 3000 acres
Batteries	3.7V Lithium-Ion 1460mAh (included)	3.7V Lithium-Ion 1460mAh (included)	—	3.7Lithium-Ion 1100mAh (included)	3.7V, 1700 mAh Lithium ion (included)	3.7V, 1700 mAh Lithium ion (included)



# OfficeSuite UC<sup>®</sup> phones

## Equipment and features

### CALL COVERAGE

Direct incoming calls to any phone and change locations anytime online

### AUTO ATTENDANTS

Get virtually unlimited auto attendants at no extra cost so that callers can self-select from a menu

### ADVANCED VOICEMAIL

Receive notifications and messages from any phone, online or in email

### CONTACT CENTER TOOLS

Optimize customer conversations by monitoring, evaluating and recording incoming calls

### BUILT-IN INTERCOM

Page co-workers, even across multiple sites

### MOBILE READY

Make updates and changes directly from your tablet or smartphone

911 Notifications  
 Account codes  
 Auto attendants (unlimited)  
 Auto attendants – nested  
 Auto-dial (automatic ringdown)  
 Auto-generated key labels  
 Broadcast groups  
 Business quality voice lines  
 Call coverage  
 Call coverage – incoming call routing  
 Call detail records  
 Call display  
 Call forward  
 Call groups  
 Call history reporting  
 Call hold  
 Call hunting (circular & linear)  
 Call park/retrieve  
 Call permissions profiles (by user)  
 Call transfer  
 Call waiting tone  
 Caller ID with name  
 Caller's list (inbound & outbound)  
 Click-to-call  
 Company-wide chat  
 Context soft Kkeys  
 Do not disturb  
 Emergency forwarding  
 Enhanced dial tone  
 E911 compliant  
 Extension dialing (3 to 7 digits)

Fixed function keys  
 Geographic redundancy  
 Gigabit ethernet phones  
 Group presence routing by time of day, day of week  
 Group voicemail  
 Hands-free speakerphone  
 Headset capable  
 Hot desking/multi-desking  
 Hunting  
 Incoming call routing  
 Integrated ethernet switch  
 Intercom  
 Join/leave call groups  
 Join/merge calls  
 Local phone numbers (DIDs)  
 Mobile apps  
 Mobile twinning\*  
 Monitor groups  
 Multiple business hour profiles  
 Multiple CLIDs  
 Multiple line appearances  
 Music on hold  
 Mute  
 OfficeSuite UC click-to-call extension  
 OfficeSuite UC connector for Amazon Alexa  
 OfficeSuite UC connector for Google Assistant  
 OfficeSuite UC desktop & mobile apps  
 Online self-help documentation  
 Phone directory – employee

Phone directory – external via portal key  
 Profiles (by user type)  
 Page  
 Power over Ethernet phones  
 Presence & availability  
 Private CLIDs programmable keys  
 Redial  
 Redirect – emergency forwarding  
 Ring tones  
 Selective call routing  
 Self-labeling keys  
 Site page  
 Speakerphone  
 Speed dial  
 Station busy lamp Indicator – silent  
 Ten-way calling  
 Transfer direct to voicemail  
 Unlimited calling nationwide†  
 Visual voicemail & speech-to-text  
 Voicemail  
 Voicemailauto-forward all to e-mail ID  
 Voicemail forward to co-worker ext.  
 Voicemail message waiting indicator  
 Voicemail notification via e-mail or SMS  
 Voicemail return call during VM retrieval  
 Zero out of voicemail – personal target

\*Select seat types

†See terms & conditions for details

## Optional equipment and services

Additional phone numbers nationwide  
Analog extensions with voicemail  
Bluetooth options (select phones)  
Conference phones  
Contact center services  
Cordless phones  
Entry/door control systems  
Extension call recording  
Extension monitoring  
Group twinning  
International services in country\*  
MobileLink integration (select phones)  
OfficeSuite UC connector for Google  
OfficeSuite UC connector for HubSpot®  
OfficeSuite UC connector for Microsoft Teams and Office 365

OfficeSuite UC connector for Salesforce®  
OfficeSuite UC connector for Slack®  
OfficeSuite HD Meeting®  
Operator panel  
Overhead paging interface  
Secure eFax  
Single sign-on  
Softphones-Mac, mobile & PC  
Voicemail transcription  
WiFi phones (select phones)  
Wireless DECT headsets (select phones)

\*Subject to availability.

Our managed connectivity, communications and security solutions are innovative.

Your business outcomes are imperative.

Windstream Enterprise drives business transformation through the convergence of our proprietary software solutions and cloud-optimized network to unlock our clients' revenue and profitability potential. Our end-to-end IT managed services modernize technology infrastructure, optimize operations, eliminate resource constraints and elevate the experience of our clients and their end users, while securing their critical data and brand reputation. Analysts recognize Windstream Enterprise as a market leader for our product innovation, and clients rely on our best-in-class management portal. Businesses trust Windstream Enterprise as their single-source for a high-performance network and award-winning suite of connectivity, collaboration and security solutions—delivered by a team of technology experts whose success is directly tied to our clients' complete satisfaction.

For more product help, visit [windstreamenterprise.com](https://windstreamenterprise.com)